

Film Properties & Cutting Suggestions

EnduraTex Glitter Foils 14 mil., a very thick material. 350 microns. The clear PET liner is high tack but the film is easy to weed once properly cut. Glitters are available in ten colors. Reverse cut pattern. Because of high level of metal flake in film, it can be difficult to see the cut lines to weed and glitter left behind after weeding will easily remove after pressing. Weed carefully to avoid tearing material. Minor tears can still be transferred to garment and applied successfully. After pressing with medium pressure, allow to cool to room temperature, then peel liner slowly. Graphtec and Vinyl EXPRESS Qe and Q Series users should use a standard 60° blade and set force at 20, check depth of blade. Works best with tangential emulation activated.

Suitable Fabrics

Suitable for application on 100% cotton, 100% polyester, and cotton/polyester blends.


Application Instructions

Press with medium pressure @ 302- 320°F for 10-15 seconds. Allow to cool for 10 – 15 seconds, then slowly peel liner.

Laundering Guidelines

Machine wash inside out in cool/warm temperature, line dry.

Pictorial Use Guide



April 2011